



FOXFURY[®]
LIGHTING SOLUTIONS

CORDLESS • RECHARGEABLE • WATERPROOF

TABLE OF CONTENTS

TESTIMONIALS	1
NOMAD® SCENE LIGHTS	2 - 5
PRODUCTION LIGHTS	6 - 9
HEADLAMPS & HELMET LIGHTS	10 - 13
RIGHT ANGLE & UTILITY LIGHTS	14 - 17
RUGO™ DRONE & CAMERA LIGHT	18 - 21
SHIELD LIGHTS	22 - 25

ABOUT US



At FoxFury Lighting Solutions, we create premium lighting tools that shine brightly in the most extreme environments to keep people safe. Our Xtremium™ products focus on durability and speed, providing unique solutions and possibilities for first responders, enterprise professionals, and videographers in over 65 countries. There is no second chance when it comes to getting the correct lighting. So, when seconds count, depend on FoxFury Lighting Solutions.

WE EXIST TO KEEP PEOPLE SAFE



“We were having heavy flooding in our area and resources were depleted. We had 5 guys on scene of a vehicle with occupants being swept away. We made the call for 3 of us to swim to them and attempt a rescue. We got all 3 occupants out of the vehicle and into trees with us to wait for a boat to make it to the scene. A little time passes and here comes our boat, with a FoxFury Nomad® on the front. I'll never forget seeing it, knowing we made the grab and were headed to dry land.”

- Jake, Urban Search & Rescue Team, Arkansas

“The FoxFury headlamp has been a tremendous asset when conducting fire calls during evening hours; especially fire calls involving vehicle accidents. I'm safer and more effective thanks to having extra (and hands-free) lighting while utilizing hand tools. I am also more visible to oncoming drivers on the roads and highways. I'm very pleased and satisfied with your product.”

- Kent R., Firefighter/EMT, South Monterey County, CA

“We have had our FoxFury Nomad® out in some pretty harsh conditions already, have dropped it twice, had to scrape mud out of it, used it in high wind and can honestly say there is no explanation for EVER buying a different light. For scene work, command posts, searches and even equipment maintenance, this is the one light every agency needs to have.”

- Brandi Hogden, Disaster Response Team, Iowa



NOMAD® SCENE LIGHTS



CORDLESS • RECHARGEABLE • WATERPROOF



NOMAD® NOW

3,000 LUMENS

Most compact and versatile scene light

FEATURES

- ❖ Collapsible easy carry handle
- ❖ Mounts to magnet (included) and tripod
- ❖ Remote activation (included)
- ❖ Rechargeable Li-Ion Battery System
- ❖ 8.7 in (221 mm) tall and 4.5 lbs (2 kg)

Nomad® NOW Scene Light: Multi-Activation (200-400-100)
Nomad® NOW Scene Light: Single Activation (200-400-102)



NOMAD® PRIME

5,000 LUMENS

Best spotlight with built-in tripod legs

FEATURES

- ❖ Spotlight and area light all in one
- ❖ Rechargeable Li-Ion Battery System
- ❖ Fully deploys to 8 ft (2.4 m)
- ❖ Weighs 18.4 lbs (8.3 kg)
- ❖ Red Diffuser Lens included

Nomad® Prime (200-800)



NOMAD® 360
8,000 LUMENS

Best self-contained 360° scene light

FEATURES

- ❖ Spotlight, area light, and 360° scene light all in one
- ❖ Rechargeable Li-Ion Battery System
- ❖ Fully deploys to 8.5 ft (2.6 m)
- ❖ Weighs 24.4 lbs (11.1 kg)
- ❖ Color Bands included

Nomad® 360 (200-900)



NOMAD® TRANSFORMER®
16,000 LUMENS

Most powerful scene light with modular Power Pack

FEATURES

- ❖ Modular design
- ❖ Rechargeable Li-Ion Power Pack, can be swapped out for continuous power
- ❖ Fully deploys to 12.9 ft (3.9 m)
- ❖ 3.3 ft (1.0 m) extension pole available
- ❖ Weighs 53.5 lbs (24.3 kg)

Nomad® Transformer (200-1200)



Nomad® Color Accessories

Color Accessories can be used to help mark key locations and identify places of significance such as parking areas, entrances and exits, command posts, staging zones, or triage areas.

COLOR BANDS

FEATURES

- ❖ For use on Nomad® 360 (included), T32, and T56
- ❖ Set includes five silicone bands: Red, Orange, Yellow, Green, and Blue
- ❖ Lightweight, flexible, and durable



Color Bands (85-070)

DIFFUSER CAP & COLOR BANDS

FEATURES

- ❖ For use on Nomad® Prime and P56
- ❖ Set includes one diffuser cap and five silicone bands: Red, Orange, Yellow, Green, and Blue
- ❖ Bands store inside the cap when not in use
- ❖ Lightweight, flexible, and durable



Diffuser Cap & Color Bands (85-080)

DIFFUSER LENS

FEATURES

- ❖ For use on Nomad® Prime and P56
- ❖ Available in red (included with Prime) and amber



Diffuser Lens in Red (85-050)
Diffuser Lens in Amber (85-052)



PRODUCTION LIGHTS



CORDLESS • 95 CRI • WATERPROOF



NOMAD® P56



NOMAD® N32 & N56

2,400 & 2,700 LUMENS

Most compact & versatile production light

FEATURES

- ❖ Color Temperature: 3200K or 5600K
- ❖ Mounts to magnet (included) and tripod
- ❖ Remote activation (included)
- ❖ Rechargeable Li-Ion Battery System
- ❖ 8.7 in (221 mm) tall and 4.5 lbs (2 kg)

Nomad® N56 Production Light (200-4N56)
Nomad® N32 Production Light (200-4N32)



NOMAD® P56

4,100 LUMENS


Most focused production light with built-in tripod legs

FEATURES

- ❖ Color Temperature: 5600K
- ❖ Diffuser Lens included
- ❖ Rechargeable Li-Ion Battery System
- ❖ Fully deploys to 8 ft (2.4 m)
- ❖ Weighs 19 lbs (8.6 kg)

Nomad® P56 Production Light (200-8P56)



 **NOMAD® T32**



NOMAD® T32 & T56
7,000 & 8,200 LUMENS

Best self-contained 360° production light

FEATURES

- ❖ Color Temperature: 3200K or 5600K
- ❖ Rechargeable Li-Ion Battery System
- ❖ Fully deploys to 8.5 ft (2.6 m)
- ❖ Weighs 24.4 lbs (11.1 kg)

Nomad® T56 Production Light, 5600K (200-9T56)
Nomad® T32 Production Light, 3200K (200-9T32)



TRIPO-SCOPE® M1

Compact tripod with built-in Tripo-Scope® legs for use with the Nomad® N56 & N32

FEATURES

- ❖ Use the included Puck Adaptor to mount accessories to a 1/4"-20 thread
- ❖ 3/8"-16 Threaded Stud allows mounting of professional grade accessories
- ❖ Fully deploys to 7.5 ft (2.3 m)

Tripo-Scope® M1 (650-100)

N32/N56

P56

T32/T56


SPECIFICATION	N32 (200-4N32)	N56 (200-4N56)	P56 (200-8P56)	T32 (200-9T32)	T56 (200-9T56)
LUMENS (MAX)	2,400	2,700	4,100	7,000	8,200
BATTERY LIFE	3 - 24 hours				
CHARGE TIME	4 hours	4 hours	5 hours	7 hours	7 hours
DEPLOYMENT TIME	Instant	Instant	20 sec	20 sec	20 sec
HEIGHT (MAX)	8.7 in (0.2 m)	8.7 in (0.2 m)	8 ft (2.4 m)	8.5 ft (2.6 m)	8.5 ft (2.6 m)
WEIGHT	4.5 lbs (2 kg)	4.5 lbs (2 kg)	19 lbs (8.6 kg)	24.4 lbs (11.1 kg)	24.4 lbs (11.1 kg)
CRI	95				
COLOR TEMP	3200K	5600K		3200K	5600K




HEADLAMPS & HELMET LIGHTS



FIRE RESISTANT • WATERPROOF • PANORAMIC LIGHTING



 **COMMAND+ TILT**

TRUE TO LIFE™ LEDS: SEE COLORS ACCURATELY



COMMAND TILT
65 LUMENS

Best suited for close-up tasks, inspections and general area illumination

FEATURES

- ❖ Rear safety LED
- ❖ Adjustable tilt: aim and adjust light
- ❖ Includes silicone and elastic strap
- ❖ Weight: 9.6 oz (272 g)
- ❖ (4) AA batteries | 7 - 28 hours

White LEDs (410-T09)



COMMAND+ TILT
100 LUMENS

Best suited for outdoor use including search & rescue and firefighting

FEATURES

- ❖ Rear safety LED
- ❖ Adjustable tilt: aim and adjust light
- ❖ Includes silicone and elastic strap
- ❖ Rechargeable option available
- ❖ Weight: 9.6 oz (272 g)
- ❖ (4) AA batteries | 5 - 14 hours

White LEDs (420-T09)
White & Green LEDs (420-T06)
White & Amber LEDs (420-T15)
White LEDs Rechargeable (420-T09R)



DISCOVER TILT

PANORAMIC LIGHTING: SEE WIDER, SEE BETTER



DISCOVER TILT

200 LUMENS

Best suited for long distance tasks and general area illumination

FEATURES

- ❖ Rear safety LED
- ❖ Adjustable tilt: aim and adjust light
- ❖ Includes silicone and elastic strap
- ❖ Weight: 12 oz (340 g)
- ❖ (4) AA batteries | 5 - 12 hours

White LEDs (480-T09)



LO•PRO MODELS


65, 100, 200 LUMENS

Best suited for firefighter helmets with external face shield

FEATURES

- ❖ Rear safety LED
- ❖ Ultra slim design clears face shields on most U.S. style fire helmets
- ❖ Includes silicone strap
- ❖ (4) AA batteries | 3 - 28 hours
- ❖ Rechargeable option available

Command LoPro White LEDs (410-L06)
Command+ LoPro White & Green LEDs (420-L06)
Command+ LoPro White & Green LEDs Rechargeable (420-L06R)
Discover LoPro White LEDs (480-L06)



SIDESLIDE C-CLAMP

VERSATILE FLASHLIGHT & HELMET LIGHT



SIDESLIDE C-CLAMP 200 LUMENS

Flashlight or side-mounted helmet light

FEATURES

- ❖ Rear safety LED
- ❖ Mounts above/below brim of most U.S. style fire helmets without a face shield
- ❖ Weight: 10 oz (284 g)
- ❖ (1) 18650 battery or (2) CR123 batteries | 3.5 - 8 hours

SideSlide C-Clamp Side Mounted Helmet Light: (940K-010FI)
SideSlide Picatinny C-Clamp Mount: (85-013)

COMMAND & DISCOVER HEADLAMPS / HELMET LIGHTS

LED COLOR	USE
White	Close-Up/Distance
White & Green	Structural Firefighting
White & Amber	Outdoor/Wildland Fire

Glow in the dark silicone straps available
P/N 600-026

"MY TEAM WAS CUT OFF BY FIRE EXTENSION & MY FOXFURY HEADLAMP WAS THE ONLY LIGHT THAT CUT THROUGH THE SMOKE TO SHOW THE WAY TO THE LADDER FOR THEM TO GET DOWN."

-Jim B. | Fire Investigator



RIGHT ANGLE & UTILITY LIGHTS



FIRE RESISTANT • WATERPROOF • IMPACT RESISTANT



 **BT2+**

120 FT (36 M) AWAY



BT2+ 700 LUMENS

Long distance search light

FEATURES

- ❖ Extra long distance beam - 5,600 ft (1,707 m)
- ❖ Rechargeable option available
- ❖ Available in black or orange/red
- ❖ Weight: 1.4 lbs (635 g)
- ❖ (4) AA batteries | 2 - 8 hours

Black (380-BT2P-BL)
Black Rechargeable (380-BT2P-BLR)
Orange (380-BT2P-OR)
Orange Rechargeable (380-BT2-ORR)



BTS 400 LUMENS

Low profile smoke cutting light

FEATURES

- ❖ SMO-KUT™ Smoke Cutting Technology
- ❖ Rechargeable option available
- ❖ Available in black or black/yellow
- ❖ Weight: 1.3 lbs (590 g)
- ❖ (4) AA batteries | 3 - 12 hours

Black (380-BTS-BL)
Black/Yellow (380-BTS-BY)




BT2-IS 200 LUMENS

Intrinsically safe search light

FEATURES

- ❖ Long distance beam - 3,000 ft (914 m)
- ❖ Hazardous Locations
UL913: Class I, Zone 0, AEx ia IIC
T5 IECEx: Ex ia IIC T5 Ga
- ❖ Weight: 1.5 lbs (680 g)
- ❖ (4) AA batteries | 3 - 12 hours

Black (380-FF01-BT2-BL)




BT RECHARGEABLE KIT

FEATURES

- ❖ Compatible with BT2+ and BTS
- ❖ Includes docking station, rechargeable battery pack, and charger
- ❖ Connect multiple units by snapping them together
- ❖ Charge time: 2.5 hours

P/N 600-380BT



SCOUT

50 LUMENS (WHITE & RED LED MODELS)
65 LUMENS (WHITE LED MODELS)

Utility light with durable J-Clip

FEATURES

- True to Life™ LED Technology
- Wear on backpack, belt, pocket, MOLLE, and more
- Available with white or white & red LEDs
- Available in black or orange
- Weight with Battery: 5.4 oz (153 g)
- (3) AA batteries | 12 - 50 hours (white LED models)
or 12 - 60 hours (white and red LED models)

Black with White LEDs (301-010)
Black with White & Red LEDs (301-004)
Orange with White LEDs (302-010)
Orange with White & Red LEDs (302-004)



RUGO™ SERIES

FOXFURY.COM




RUGGED • WATERPROOF • RECHARGEABLE



 RUGO™ R1S

QUICK SWAP® POWER PACK



FEATURES

- ❖ Rechargeable Quick Swap® Power Pack
- ❖ Tri-Lens® Technology offers spot, area, and flood lighting
- ❖ Mountable to drones, cameras, light stands, and bicycles
- ❖ High CRI daylight balanced lighting (RC and RCS only)
- ❖ Waterproof and impact resistant



 **RUGO™** RCS on a GorillaPod

QUICK SWAP® POWER PACKS

- ❖ 1 - 6 hours of battery life
- ❖ Recharges via USB adaptor in 2.5 hours
- ❖ Additional units sold separately



**STANDARD QUICK SWAP®
POWER PACK**
YELLOW SWITCH COVER

- ❖ 4 modes (dim, low, med, high)



**QUICK SWAP® POWER
PACK WITH STROBE**
ORANGE SWITCH COVER

- ❖ 4 modes (low, med, high, strobe)
- ❖ Meets FAA regulations for night UAV flight and anti-collision

RUGO™ SERIES BREAKDOWN


MODEL	LUMENS	COMPONENTS	BEST FOR
R1 (P/N 700-300)	70 - 700	<ul style="list-style-type: none"> Standard light head Standard Power Pack 	<ul style="list-style-type: none"> Search and rescue Inspection
R1S (P/N 700-300S)		<ul style="list-style-type: none"> Standard light head Power Pack with strobe 	<ul style="list-style-type: none"> Drone visibility Search and rescue Inspection
RC (P/N 700-301)	70 - 620	<ul style="list-style-type: none"> High CRI light head Standard Power Pack 	<ul style="list-style-type: none"> Photography Videography
RCS (P/N 700-301S)		<ul style="list-style-type: none"> High CRI light head Power Pack with strobe 	<ul style="list-style-type: none"> Photography Videography Drone visibility

MULTIPLE MOUNTING OPTIONS



1/4"-20 MOUNT AND COLD-SHOE

mounts to most DSLR cameras and light stands



STANDARD MOUNT

mounts to most action cams

DRONE MOUNTS



FOR DJI PHANTOM 4 AND PHANTOM 4 PRO SET OF 2

Drone Mounts for DJI Phantom 4 (85-027)



FOR YUNEEC H520, TYPHOON H, AND H PLUS SET OF 2

Drone Mounts for Yuneec H520 and Typhoon H (85-023)



FOR DJI INSPIRE AND MATRICE SOLD INDIVIDUALLY

Handlebar/Drone Mount (85-026)



SHIELD LIGHTS



PHOTO CREDIT: SIOEN ARMOR

DURABLE • WATERPROOF • STROBE-CAPABLE


BALLISTIC


TAKER B10

380 LUMENS

Most adaptive ballistic shield light for top & side-mounted use

FEATURES

- ❖ Attach multiple B10s on one shield for tactical advantage
- ❖ Turbo-Strobe™ Mode
- ❖ Retrofits most ballistic shields
- ❖ (2) CR123 batteries or (1) 18650 battery | 1.5 - 4 hours



P/N 940K-010S



TAKER B30

600 LUMENS

Our lowest profile, front-mounted, ballistic shield light

FEATURES

- ❖ Replaceable lens in case of damage
- ❖ Turbo-Strobe™ Mode
- ❖ Heavy duty braided cable
- ❖ Retrofits most ballistic shields
- ❖ (3) or (6) CR123 batteries | 5 - 8 hours



P/N 480-331



TAKER B50

1000 LUMENS

Our most powerful after-market ballistic shield light

FEATURES

- ❖ Includes square pressure switch
- ❖ Turbo-Strobe™ Mode
- ❖ Heavy duty braided cable
- ❖ Retrofits most ballistic shields
- ❖ (3) or (6) CR123 batteries | 5 - 8 hours



TAKER B70

1200 LUMENS

Best integrated light with handle for OEM shield manufacturers

FEATURES

- ❖ Ambidextrous light activation
- ❖ Turbo-Strobe™ Mode
- ❖ No visible cables or wires
- ❖ Single hand grip
- ❖ (3) or (6) CR123 batteries | 2 - 4 hours





RIOT



TAKER R40

650 LUMENS

Powerful LED light for riot shields

FEATURES

- ❖ Mounts to inside of the shield
- ❖ Quick Swap® Power Pack for recharging
- ❖ Turbo-Strobe™ Mode
- ❖ Retrofits most riot and capture shields
- ❖ Rechargeable battery | 1 - 1.75 hours

COMPARISON

MODEL	DIMENSIONS (WxHxD)	LUMENS
B10	5.5 x 1.3 x 1.1 in (140 x 33 x 28 mm)	380
B30	3.9 x 0.9 x 1.9 in (100 x 23 x 50 mm)	600
B50	5.7 x 2.0 x 2.3 in (145 x 51 x 58 mm)	1000
B70	8.2 x 1.1 x 3.0 in (208 x 28 x 76 mm)	1200
R40	2.6 x 2.4 x 3.8 in (66 x 61 x 97 mm)	650





FOXFURY[®]
LIGHTING SOLUTIONS

FOXFURY.COM
760-945-4231
SALES@FOXFURY.COM

DISTRIBUTED BY:

FOXFURY.COM
3528 SEAGATE WAY, SUITE 100
OCEANSIDE, CA | USA

@FOXFURYLED

